IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE





Publications/Services Standards Conferences

Welcome **United States Patent and Trademark Office**

FAQ Terms IEEE Peer Review

Quick Links

» Search Resul

Welcome to	IEEE .	Xplore:
------------	--------	---------

O- Home

— What Can Access?

()- Log-out

Tables of Contents

O- Journals & Magazines

)- Conference **Proceedings**

C Standards

Search

O- By Author

O- Basic

O- Advanced

Member Services

O- Join IEEE

Establish IEEE Web Account

Print Format

Your search matched 51 of 765102 documents.

Results are shown 50 to a page, sorted by publication year in descending order.

You may refine your search by editing the current search expression or entering a new one the text box.

Then click Search Again.

(hot carrier reliability) and stress



Results:

Journal or Magazine = JNL Conference = CNF Standard = STD

1 Improved hot-carrier reliability of SOI transistors by deuterium passivation of defects at oxide/silicon interfaces

Kangguo Cheng; Jinju Lee; Karl, H.; Lyding, J.W.; Young-Kwang Kim; Young-Wug Kim; Kwang-Pyuk Suh

Electron Devices, IEEE Transactions on , Volume: 49 Issue: 3 , March 2002

Page(s): 529 -531

[Abstract] [PDF Full-Text (71 KB)] JNL

2 Hot-carrier reliability comparison for pMOSFETs with ultrathin silicon-nitride and silicon-oxide gate dielectrics

Polishchuk, I.; Yee-Chia Yeo; Qiang Lu; Tsu-Jae King; Chenming Hu

Device and Materials Reliability, IEEE Transactions on , Volume: 1 Issue: 3 , Sept. 2001

Page(s): 158 -162

[Abstract] [PDF Full-Text (101 KB)] JNL

3 Performance and hot-carrier reliability of 100 nm channel length jet vapor deposited Si/sub 3/N/sub 4/ MNSFETs

Mahapatra, S.; Rao, V.R.; Cheng, B.; Khare, M.; Parikh, C.D.; Woo, J.C.S.; Vasi, J.M. Electron Devices, IEEE Transactions on , Volume: 48 Issue: 4 , April 2001

Page(s): 679 -684

[Abstract] [PDF Full-Text (148 KB)] JNL

4 Hot carrier enhanced gate current and its impact on short channel nMOSFET reliability with ultra-thin gate oxides

Min, B.W.; Zia, O.; Celik, M.; Widenhofer, R.; Kang, L.; Song, S.; Gonzales, S.; Mendicino, A. Electron Devices Meeting, 2001. IEDM Technical Digest. International, 2001 Page(s): 39.5.1 -39.5.4

[Abstract] [PDF Full-Text (266 KB)] CNF

5 Hot-carrier reliability of p-MOSFET with ultra-thin silicon nitride gate dielectric Polishchuk, I.; Yee-Chia Yeo; Qiang Lu; Tsu-Jae King; Chenming Hu



Reliability Physics Symposium, 2001. Proceedings. 39th Annual. 2001 IEEE International, 2001 Page(s): 425 -430

[Abstract] [PDF Full-Text (432 KB)] CNF

6 Hot-carrier-induced circuit degradation for 0.18 /spl mu/m CMOS technology Wei Li; Qiang Li; Yuan, J.S.; McConkey, J.; Yuan Chen; Chetlur, S.; Zhou, J.; Oates, A.S. Quality Electronic Design, 2001 International Symposium on , 2001 Page(s): 284 -289

[Abstract] [PDF Full-Text (340 KB)] CNF

7 Developing aged SPICE model for hot carrier reliability simulation

Qiuyi Ye; Terletzki, H.; Tonti, W.

Integrated Reliability Workshop Final Report, 2000 IEEE International, 2000

Page(s): 153 -154

[Abstract] [PDF Full-Text (160 KB)] CNF

8 High performance deep-submicron n-MOSFETs by nitrogen implantation and in-situ HF vapor clean

Jiann Heng Chen; Tan Fu Lei; Chia Lin Chen; Tien Sheng Chao; Wen Ying Wen; Kuag Ting Chen

Reliability Physics Symposium, 2000. Proceedings. 38th Annual 2000 IEEE International , 2000 Page(s): 180 -185

[Abstract] [PDF Full-Text (408 KB)] CNF

9 Gate-level aged timing simulation methodology for hot-carrier reliability assurance Kawakami, Y.; Jingkun Fang; Yonezawa, H.; Iwanishi, N.; Lifeng Wu; I-Hsien Chen, A.; Koike, N.; Ping Chen; Chune-Sin Yeh; Zhihong Liu Design Automation Conference, 2000. Proceedings of the ASP-DAC 2000. Asia and South Pacific, 2000 Page(s): 289 -294

[Abstract] [PDF Full-Text (408 KB)] CNF

10 A new technique for hot carrier reliability evaluations of flash memory cell after long-term program/erase cycles

Chung, S.S.; Cherng-Ming Yih; Shui-Ming Cheng; Mong-Song Liang Electron Devices, IEEE Transactions on , Volume: 46 Issue: 9 , Sept. 1999 Page(s): 1883 -1889

[Abstract] [PDF Full-Text (232 KB)] JNL

11 Influence of passivation anneal position on metal coverage dependent mismatch and hot carrier reliability

Chetlur, S.; Sen, S.; Harris, E.; Vaidya, H.; Kizilyalli, I.; Gregor, R.; Harding, B. Physical and Failure Analysis of Integrated Circuits, 1999. Proceedings of the 1999 7th International Symposium on the , 1999

Page(s): 21 -24

[Abstract] [PDF Full-Text (284 KB)] CNF

$^{\rm 12}\,$ A manufacturable and reliable low-k inter-metal dielectric using fluorinated oxide (FSG)

Chang, W.; Jang, S.M.; Yu, C.H.; Sun, S.C.; Liang, M.S.

Interconnect Technology, 1999. IEEE International Conference , 1999

Page(s): 131 -133

[Abstract] [PDF Full-Text (188 KB)] CNF

13 Design in hot-carrier reliability for high performance logic applications

Peng Fang; Jiang Tao; Chen, J.F.; Chenming Hu

Custom Integrated Circuits Conference, 1998. Proceedings of the IEEE 1998 , 1998

Page(s): 525 -531

[Abstract] [PDF Full-Text (416 KB)] CNF

$^{14}\,$ Hot-carrier degradation mechanism and promising device design of nMOSFETs with nitride sidewall spacer

Sambonsugi, Y.; Sugii, T.

Reliability Physics Symposium Proceedings, 1998. 36th Annual. 1998 IEEE International , 1998

Page(s): 184 -188

[Abstract] [PDF Full-Text (380 KB)] CNF

15 Deuterium post-metal annealing of MOSFET's for improved hot carrier reliability

Kizilyalli, I.C.; Lyding, J.W.; Hess, K.

IEEE Electron Device Letters , Volume: 18 Issue: 3 , March 1997

Page(s): 81 -83

[Abstract] [PDF Full-Text (72 KB)] JNL

$^{16}\,$ A unified approach to profiling the lateral distributions of both oxide charge and interface states in n-MOSFET's under various bias stress conditions

Shui-Ming Cheng; Cherng-Ming Yih; Jun-Chyi Yeh; Song-Nian Kuo; Chung, S.S. Electron Devices, IEEE Transactions on , Volume: 44 Issue: 11 , Nov. 1997

Page(s): 1908 -1914

[Abstract] [PDF Full-Text (244 KB)] JNL

17 A novel charge-pumping method for extracting the lateral distributions of interface-trap and effective oxide-trapped charge densities in MOSFET devices

Hsin-Hsien Li; Yu-Lin Chu; Ching-Yuan Wu

Electron Devices, IEEE Transactions on , Volume: 44 Issue: 5 , May 1997

Page(s): 782 -791

[Abstract] [PDF Full-Text (296 KB)] JNL



18 Comparison of NMOS and PMOS hot carrier effects from 300 to 77 K

Song, M.; MacWilliams, K.P.; Woo, J.C.S.

Electron Devices, IEEE Transactions on , Volume: 44 Issue: 2 , Feb. 1997

Page(s): 268 -276

[Abstract] [PDF Full-Text (216 KB)] JNL

$^{\rm 19}\,$ A study of hot-carrier degradation in n- and p-MOSFETs with ultra-thin gate oxides in the direct-tunneling regime

Momose, H.S.; Nakamura, S.-I.; Ohguro, T.; Yoshitomi, T.; Morifuji, E.; Morimoto, T.; Katsumata, Y.; Iwai, H.

Electron Devices Meeting, 1997. Technical Digest., International , 1997

Page(s): 453 -456

[Abstract] [PDF Full-Text (260 KB)] CNF

$\,$ Direct BSIM3v3 parameter extraction for hot-carrier reliability simulation of N-channel LDD MOSFETs

Minehane, S.; Healy, S.; O'Sullivan, P.; McCarthy, K.; Mathewson, A.; Mason, B. Physical & Failure Analysis of Integrated Circuits, 1997., Proceedings of the 1997 6th International Symposium on , 1997

Page(s): 133 -139

[Abstract] [PDF Full-Text (472 KB)] CNF

21 Evolution of BSIM3v3 parameters during hot-carrier stress

Minehane, S.; O'Sullivan, P.; Mathewson, A.; Mason, B. Integrated Reliability Workshop Final Report, 1997 IEEE International , 1997

Page(s): 110 -118

[Abstract] [PDF Full-Text (612 KB)] CNF

Digital test circuit design and optimization for AC hot-carrier reliability characterization and model calibration under realistic high frequency stress conditions

Jiang, W.; Le, H.; Kim, S.A.; Chung, J.E.; Wu, Y.-J.; Bendix, P.; Jensen, J.; Ardans, R.; Prasad, S.; Kapoor, A.; Kopley, T.E.; Dungan, T.; Marcoux, P.

Microelectronic Test Structures, 1997. ICMTS 1997. Proceedings. IEEE International Conference on , 1997

Page(s): 56 -62

[Abstract] [PDF Full-Text (592 KB)] CNF

${\tt 23}\,$ New understanding of LDD CMOS hot-carrier degradation and device lifetime at cryogenic temperatures

Wang-Ratkovic, J.; Lacoe, R.C.; MacWilliams, K.P.; Miryeong Song; Brown, S.; Yabiku, G. Reliability Physics Symposium, 1997. 35th Annual Proceedings., IEEE International, 1997 Page(s): 312 -319

[Abstract] [PDF Full-Text (692 KB)] CNF



Lou, C.L.; Chim, W.K.; Chan, D.S.H.; Pan, Y.

Reliability of Electron Devices, Failure Physics and Analysis, 1996. Proceedings of the 7th

European Symposium on , 1996

Page(s): 1663 -1666

[Abstract] [PDF Full-Text (228 KB)] CNF

25 The application of a direct parameter extraction strategy to hot-carrier reliability simulation of n-channel LDD MOSFETs

Minehane, S.; Meehan, A.; O'Sullivan, P.; Mathewson, A.; Mason, B. Integrated Reliability Workshop, 1996., IEEE International

Page(s): 20 -26

[Abstract] [PDF Full-Text (524 KB)] CNF

26 Hot carrier reliability in high-power PHEMTs

Chou, Y.C.; Li, G.P.; Yu, K.K.; Chu, P.; Hou, L.D.; Wu, C.S.; Midford, T.A.

Gallium Arsenide Integrated Circuit (GaAs IC) Symposium, 1996. Technical Digest 1996., 18th

Annual, 1996 Page(s): 46 -49

[Abstract] [PDF Full-Text (324 KB)] CNF

27 The effect of intrinsic capacitance degradation on circuit performance

Changhong Dai; Walstra, S.V.; Shiuh-Wuu Lee

VLSI Technology, 1996. Digest of Technical Papers. 1996 Symposium on , 1996

Page(s): 196 -197

[Abstract] [PDF Full-Text (144 KB)] CNF

28 Anomalous hot carrier degradation of nMOSFET's at elevated temperatures

Hyunsang Hwang; Jung-Suk Goo; Hoyup Kwon; Hyungsoon Shin

IEEE Electron Device Letters , Volume: 16 Issue: 4 , April 1995

Page(s): 148 -150

[Abstract] [PDF Full-Text (196 KB)] JNL

29 An improvement of hot-carrier reliability in the stacked nitride-oxide gate n- and p-MISFET's

Momose, H.S.; Morimoto, T.; Ozawa, Y.; Yamabe, K.; Iwai, H.

Electron Devices, IEEE Transactions on , Volume: 42 Issue: 4 , April 1995

Page(s): 704 -712

[Abstract] [PDF Full-Text (664 KB)] JNL

30 Device reliability and optimization on halo MOSFETs

Duheon Song; Junhee Lim; Kyungho Lee

Reliability Physics Symposium, 1995. 33rd Annual Proceedings., IEEE International, 1995

Page(s): 271 -275

[Abstract] [PDF Full-Text (380 KB)] CNF

31 Impact of velocity saturation region on nMOSFET's hot carrier reliability at elevated temperatures

Hyunsang Hwang; Jung-Suk Go; Hoyup Kwon; Hyungsoon Shin Reliability Physics Symposium, 1995. 33rd Annual Proceedings., IEEE International, 1995 Page(s): 48 -50

[Abstract] [PDF Full-Text (260 KB)] CNF

32 LDD charge pumping-direct measurement of interface states in the overlap region

Prabhakar, V.; Brozek, T.; Chan, Y.D.; Viswanathan, C.R. Electron Devices Meeting, 1995., International, 1995

Page(s): 45 -48

[Abstract] [PDF Full-Text (284 KB)] CNF

33 Hot-carrier-reliability design rules for translating device degradation to CMOS digital circuit degradation

Quader, K.N.; Peng Fang; Yue, J.T.; Ko, P.K.; Chenming Hu

Electron Devices, IEEE Transactions on , Volume: 41 Issue: 5 , May 1994

Page(s): 681 -691

[Abstract] [PDF Full-Text (896 KB)] JNL

34 Hot-carrier-reliability design guidelines for CMOS logic circuits

Quader, K.N.; Minami, E.R.; Wei-Jen Ko; Ko, P.K.; Chenming Hu Solid-State Circuits, IEEE Journal of , Volume: 29 Issue: 3 , March 1994

Page(s): 253 -262

[Abstract] [PDF Full-Text (796 KB)] JNL

35 Hot-carrier-injection (HCI) immunity under high drain stress of thin-film SOI n-**MOSFETs fabricated on SIMOX and BESOI substrates**

Wang, J.; Huang, W.M.; Bor-Yuan Hwang; Racanelli, M.; Foerstner, J.; Woo, J. SOI Conference, 1994 Proceedings., 1994 IEEE International, 1994

Page(s): 129 -130

[Abstract] [PDF Full-Text (132 KB)] CNF

36 Enhanced degradation of nMOSFET's under hot carrier stress at elevated temperatures due to the length of velocity saturation region

Hyunsang Hwang; Jung-Suk Goo; Hoyup Kwon; Hyungsoon Shin Integrated Reliability Workshop, 1994. Final Report., 1994 International, 1994 Page(s): 69 -72

[Abstract] [PDF Full-Text (272 KB)] CNF



Meehan, A.; O'Sullivan, P.; Hurley, P.; Mathewson, A.

Integrated Reliability Workshop, 1994. Final Report., 1994 International , 1994

Page(s): 148

[Abstract] [PDF Full-Text (124 KB)] CNF

38 Effect of plasma-induced charging damage on n-channel and p-channel MOSFET hot carrier reliability

Mistry, R.R.; Fishbein, B.J.; Doyle, B.S.

Reliability Physics Symposium, 1994. 32nd Annual Proceedings., IEEE International, 1994

Page(s): 42 -47

[Abstract] [PDF Full-Text (492 KB)] CNF

39 The effect of plasma-induced oxide and interface degradation on hot carrier reliability

Noguchi, K.; Okumura, K.

Reliability Physics Symposium, 1994. 32nd Annual Proceedings., IEEE International, 1994

Page(s): 232 -237

[Abstract] [PDF Full-Text (440 KB)] CNF

40 Circuit design guidelines for n-channel MOSFET hot carrier robustness

Mistry, K.R.; Fox, T.F.; Preston, R.P.; Arora, N.D.; Doyle, B.S.; Nelsen, D.E. Electron Devices, IEEE Transactions on , Volume: 40 Issue: 7 , July 1993

Page(s): 1284 -1295

[Abstract] [PDF Full-Text (1092 KB)] JNL

41 Effects of interfacial oxide on hot carrier reliability of polysilicon emitter npn transistors

Reuss, R.H.; Varker, C.J.; Bunevich, P.

Bipolar/BiCOMS Circuits and Technology Meeting, 1993., Proceedings of the 1993, 1993

Page(s): 219 -222

[Abstract] [PDF Full-Text (420 KB)] CNF

42 Process induced oxide damage and its implications to device reliability of submicron transistors

Rakkhit, R.; Heiler, F.P.; Fang, P.; Sander, C.

Reliability Physics Symposium, 1993. 31st Annual Proceedings., International , 1993

Page(s): 293 -296

[Abstract] [PDF Full-Text (248 KB)] CNF

43 Hot-carrier reliability in double-implanted lightly doped drain devices for advanced DRAMs

Ditali, A.; Fazan, P.; Khan, I.

Electronics Letters , Volume: 28 Issue: 1 , 2 Jan. 1992

Page(s): 19 -21

[Abstract] [PDF Full-Text (248 KB)] JNL

44 An Accurate Approach To Simulating The Hot Carrier Reliability Of MOS IC's Under AC Stress

Chung, S.S.; Hsu, P.-C.; Lee, J.-S.

Custom Integrated Circuits Conference, 1992., Proceedings of the IEEE 1992

Page(s): 18.4.1 -18.4.4

[Abstract] [PDF Full-Text (260 KB)] CNF

45 An in-process monitor for n-channel MOSFET hot carrier lifetimes

Mistry, K.R.; Krakauer, D.B.; Doyle, B.S.; Spooner, T.A.; Jackson, D.B.

Reliability Physics Symposium 1992. 30th Annual Proceedings., International , 1992

Page(s): 116 -121

[Abstract] [PDF Full-Text (480 KB)] CNF

46 Effect of synchrotron X-ray radiation on the channel hot-carrier reliability of reoxidized nitrided silicon dioxide

Dunn, G.J.

IEEE Electron Device Letters , Volume: 12 Issue: 1 , Jan. 1991

Page(s): 8 -9

[Abstract] [PDF Full-Text (192 KB)] JNL

47 Channel hot-carrier stressing of reoxidized nitrided oxide p-MOSFETs

Dunn, G.J.; Krick, J.T.

Electron Devices, IEEE Transactions on , Volume: 38 Issue: 4 , April 1991

Page(s): 901 -906

[Abstract] [PDF Full-Text (552 KB)] JNL

48 Hot carrier reliability in deep submicrometer MOSFETs

Hazama, H.; Iwase, M.; Takagi, S.

Electron Devices Meeting, 1990. Technical Digest., International , 1990

Page(s): 569 -572

[Abstract] [PDF Full-Text (264 KB)] CNF

49 Hot-carrier reliability of bipolar transistors

Burnett, D.; Hu, C.

Reliability Physics Symposium, 1990. 28th Annual Proceedings., International , 1990

Page(s): 164 -169

[Abstract] [PDF Full-Text (376 KB)] CNF

50 Hot-carrier reliability in submicron pMOSFETs



Koyanagi, M.; Huang, T.; Lewis, A.; Chen, J.Y.

VLSI Technology, Systems and Applications, 1989. Proceedings of Technical Papers. 1989

International Symposium on , 1989

Page(s): 312 -316

[Abstract] [PDF Full-Text (312 KB)] CNF

1 <u>2</u> [Next]

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting No Robots Please | Release Notes | IEEE Online Publications | Help. | FAQ| Terms | Back to Top

Copyright © 2002 IEEE - All rights reserved